


# NOTORNIS

Ornithology of the Southern Pacific



Volume 64 2017  
Journal of the Ornithological Society of New Zealand



# Contents of Volume 64, 2017

## Volume 64, Part 1, March 2017

### CONTENTS

#### Papers

- Bill trait variation in kākāpō, *Strigops habroptilus* (Gray): differences between contemporary and historical birds **Gray, L.J.; Digby, A.; Eason, D.K.** 1
- Assessing the suitability of non-invasive methods to monitor interspecific interactions and breeding biology of the South Georgian diving petrel (*Pelecanoides georgicus*) **Fischer, J.H.; Debski, I.; Taylor, G.A.; Wittmer, H.U.** 13

#### Short notes

- Causes of mortality for kārearea / New Zealand falcon (*Falco novaeseelandiae*) in the Whakatipu district **Waite, E.** 21
- La Niña signal? Unusual inshore sightings of black petrel (*Procellaria parkinsoni*) in Santa Elena Province, Ecuador **Reyes, E.M.R.; Suarez-Spin, G.; Bell, E.A.** 24
- Winter mortality of barn owl (*Tyto alba*) in Northland, New Zealand **Hyde, N.; Matthews, K.** 27
- Claws on the wings of kea parrots (*Nestor notabilis*) **Wein, A.; Schwing, R.** 31
- Mallard (*Anas platyrhynchos*) eating California quail (*Callipepla californica*) chick **Bell, B.D.** 34
- Observation of simple tool use in a southern black-backed gull (*Larus dominicanus*) **Bird, M.** 36
- Single season colony records of black-fronted terns (*Chlidonias albobriatus*) spanning their entire breeding range **Schlesselmann, A-K.V.; Cooper, J.; Maloney, R.F.** 38
- Foraging flight times in the New Zealand (*Rhipidura fuliginosa*) and grey (*R. albiscapa*) fantails **Bell, B.D.** 44
- Confirmation of the extinction of South Georgian diving petrels (*Pelecanoides georgicus*) on Enderby Island **Fischer, J.H.; Hjorsvarsdottir, F.O.; Hiscock, J.A.; Debski, I.; Wittmer, H.U.** 48
- Contemporary observations of predation on the buff weka (*Gallirallus australis hectori*) by ferrets in the South Island during the nineteenth century **King, C.M.** 52

## Volume 64, Part 2, June 2017

## CONTENTS

**Papers**

- Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2015-2016 **Miskelly, C.M.; Crossland, A.C.; Sagar, P.M.; Saville, I.; Tennyson, A.J.D.; Bell, E.A.** 57
- At-sea distribution of breeding male and female grey petrels (*Procellaria cinerea*) determined from New Zealand fisheries bycatch **Mischler, C.P.; Bell, E.A.** 68
- The breeding biology of northern white-faced storm petrels (*Pelagodroma marina maoriana*) and results of an in-situ chick translocation **Rayner, M.J.; Young, M.K.; Gaskin, C.G.; Mitchel, C.; Brunton, D.H.** 76

**Short notes**

- Observations of New Zealand fairy tern (*Sternula nereis davisae*) foraging at Te Arai dune lakes, New Zealand **Preddey, J.M.; Pulhan, G.A.** 87
- Sightings of snipe in Northland, New Zealand, by 18th century French mariners **Lee, M.** 93
- Survey and population size estimate of Fiordland penguin (tawaki; *Eudyptes pachyrhynchus*) in Milford Sound / Piopiotahi, New Zealand **Mattern, T.; Long, R.** 97
- Multiple young shining cuckoos (*Chrysococcyx lucidus*) being fed by single grey warbler (*Gerygone igata*) pairs **Beauchamp, A.J.** 102
- Diet of the Atiu swiftlet (*Aerodramus sawtelli*): an aerial insectivore on a small island in the South Pacific **Tarburton, M.** 106
- Do grey-backed storm petrels (*Garrodia nereis*) breed in Fiordland, New Zealand? **Miskelly, C.M.; Stahl, J.-C.; Tennyson, A.J.D.** 109

## Volume 64, Part 3, September 2017

### CONTENTS

#### Papers

- Geometric morphometric methods show no shape differences between female and male kākāpō (*Strigops habroptilus*) bills and claws **Gray, L.J.; Renner, M.A.M** 117
- Behaviour of stoats (*Mustela erminea*) raiding the nests of rock wrens (*Xenicus gilviventris*) in alpine New Zealand **Little, L.; King, C.M.; O'Donnell, C.F.J.** 124
- Breeding petrels of Dusky Sound, Fiordland – survivors from a century of stoat invasions **Miskelly, C.M.; Tennyson, A.D.J.; Stahl, J.-C.; Smart, A.F.; Edmonds, H.K.; McMurtrie, P.G.** 136
- Population size, breeding success and predators of black-fronted tern (*Chlidonias albostrigatus*) in the Upper Clarence River catchment, New Zealand **Bell, M.** 154
- Weights and measurements of *Anas superciliosa* in New Zealand **Williams, M.** 162

#### Short notes

- Timing and duration of egg-laying of flesh-footed shearwater (*Puffinus carneipes*) in New Zealand **Bell, M.; Burgin, D.; Crowe, P.; Kirk, H.** 171

#### Obituary

- Obituary - Brian Douglas Bell, QSM, FRAOU, FOSNZ (1930–2016) **Robertson, C.J.R** 175

## Volume 64, Part 4, December 2017

## CONTENTS

**Papers**

- Investigation of fallout events in Hutton's shearwaters (*Puffinus huttoni*) associated with artificial lighting **Deppe, L.; Rowley, O.; Rowe, L.K.; Shi, N.; McArthur, N.; Gooday, O.; Goldstien, S.J.** 181
- Dispersal of endemic passerines to islands in Dusky Sound, Fiordland, following translocations and predator control **Miskelly, C.M.; Tennyson, A.J.D.; Edmonds, H.K.; McMurtrie, P.G.** 192
- A survey of Fiordland crested penguins / tawaki (*Eudyptes pachyrhynchus*) from Cascade River to Martins Bay, South Westland, New Zealand, 2014 **Long, R.** 206
- The changing relative abundance of grey duck (*Anas superciliosa*) and mallard (*A. platyrhynchos*) in New Zealand **Williams, M.** 211

**Short notes**

- Status of the flesh-footed shearwater (*Ardenna [Puffinus] carneipes*) in the south eastern Pacific **Marin, M.** 229
- Distribution of New Zealand falcon (*Falco novaeseelandiae*): Results of a 10-year survey 2006-2016 **Bell, D.** 234
- The 1907 'last generally accepted record' of huia (*Heteralocha acutirostris*) is unreliable **Galbreath, R.** 239

# INDEX OF AUTHORS AND SPECIES

## Volume 64

### INDEX OF AUTHORS AND SPECIES

- Acanthisitta chloris*, see rifleman, South Island  
 Acanthisittidae, 125  
*Adenna* [*Puffinus*] *carneipes*, see shearwater, flesh-footed  
*creatopus*, see shearwater, pink-footed  
*Aerodramus sawtelli*, see swiftlet, white-rumped  
 albatross, southern Buller's, 74  
   wandering, 74  
*Alectoris rufa*, see partridge, red-legged  
*Anas castanea*, see teal, chestnut  
   *chlorotis*, see teal, brown  
   *gracilis*, see teal, grey  
   *luzonica*, see duck, Philippine  
   *nesiotis*, see teal, Campbell Island  
   *platyrhynchos*, see duck, mallard  
   *platyrhynchos/oustaleti*, see duck, Mariana mallard  
   *poecilorhyncha*, see duck, Indian spot-billed  
   *rhynchotis*, see shoveler, Australasian  
   spp., 225  
   *superciliosa*, see duck, grey  
   *superciliosa pelewensis*, see duck, lesser grey  
   *superciliosa rogersi*, see duck, Pacific black  
   *wyvilleana*, see duck, Hawaiian  
   *zonorhyncha*, see duck, eastern spotbill  
*Anthornis melanura*, see bellbird  
*Aptenodytes patagonicus*, see penguin, king  
*Apteryx owenii*, see kiwi, little spotted  
   spp., see kiwi, spp.  
*Apus apus*, 108  
*Ardea modesta*, see heron, white  
*Athene noctua*, see owl, little  
*Aythya australis*, see duck, white-eyed
- BEAUCHAMP, A.J. Multiple young shining cuckoos (*Chrysococcyx lucidus*) being fed by single grey warbler (*Gerygone igata*) pairs, 102-105  
 BELL, Ben D. Mallard (*Anas platyrhynchos*) eating California quail (*Callipepla californica*) chick, 34-35  
 BELL, Ben D. Foraging flight times in the New Zealand (*Rhipidura fuliginosa*) and grey (*R. albiscapa*) fantails, 44-47  
 BELL, D. Distribution of New Zealand falcon (*Falco novaeseelandiae*): Results of a 10-year survey 2006-2016, 234-238  
 BELL, E.A., see REYES, E.M.R.; SUAREZ-SPIN, G.; BELL, E.A.  
 BELL, E.A., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.  
 BELL, E.A., see MISCHLER, C.P.; BELL, E.A.  
 BELL, M. Population size, breeding success and predators of black-fronted tern (*Chlidonias albostratus*) in the Upper Clarence River catchment, New Zealand, 154-161
- BELL, M.; BURGIN, D.; CROWE, P.; KIRK, H. Timing and duration of egg-laying of flesh-footed shearwater (*Puffinus carneipes*) in New Zealand, 171-174  
 bellbird, 65, 193, 196, 199, 205  
 BIRD, M. Observation of simple tool use in a southern black-backed gull (*Larus dominicanus*), 36-37  
 bird, forest spp., 192  
   freshwater spp., 194  
   land spp., 192-205  
   of prey spp., 234  
 blackbird, 16, 36, 196, 205  
 booby, brown, 57, 60, 66  
   red-footed, 57, 59, 60, 65, 66  
 BRUNTON, D.H., see RAYNER, M.J.; YOUNG, M.K.; GASKIN, C.G.; MITCHEL, C.; BRUNTON, D.H.  
 budgerigar, 8, 9  
 bulbul, red-vented, 64  
 BURGIN, D., see BELL, M.; BURGIN, D.; CROWE, P.; KIRK, H.
- Cacatua galerita*, see cockatoo, sulphur-crested  
   *moluccensis*, see cockatoo, salmon-crested  
   *sulphurea*, see cockatoo, lesser sulphur-crested  
 Cacatuidae, 31  
*Cacomantis flabelliformis*, see cuckoo, fan-tailed  
*Calidris alba*, see sanderling  
   *tenuirostris*, see knot, great  
*Callaeas cinerea*, see kokako, South Island  
   *wilsoni*, see kokako, North Island  
*Callipepla californica*, see quail, California  
*Calonectris borealis*, see shearwater, Cory's  
*Carduelis flammea*, see redpoll  
*Catharacta antarctica*, see skua, subantarctic  
 chaffinch, 205  
 Charadrii, 36, 37  
 Charadriiformes, 154  
*Charadrius bicinctus*, see dotterel, banded  
   *leschenaultii*, see plover, greater sand  
   *veredus*, see dotterel, oriental  
*Chenonetta finschi*, see duck, Finsch's  
   *jubata*, see duck, Australian wood  
*Chlidonias albostratus*, see tern, black-fronted  
   *leucopterus*, see tern, white-winged black  
   *niger*, see tern, black  
*Chroicocephalus scopulinus*, see gull, red-billed  
*Chrysococcyx lucidus*, see cuckoo, shining  
*Circus approximans*, see harrier, Australasian  
*Clamator glandarius*, see cuckoo, great spotted  
 cockatoo, lesser sulphur-crested, 31  
   salmon-crested, 31  
   sulphur-crested, 31  
*Coenocorypha barriensis*, see snipe, North Island  
   *iredalei*, see snipe, South Island  
 COOPER, J., see SCHLESSELMANN, A-K.V.; COOPER, J.; MALONEY, R.F.  
*Coracina novaehollandiae*, see cuckoo-shrike, black-faced

- Coturnix novaezelandiae*, see quail, New Zealand  
 creeper, brown, 193, 196, 205  
 CROSSLAND, A.C., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.  
 crow, New Caledonian, 36, 37  
 CROWE, P., see BELL, M.; BURGIN, D.; CROWE, P.; KIRK, H.  
 cuckoo, fan-tailed, 65  
   great spotted, 104  
   long-tailed, 196, 205  
   oriental, 62  
   shining, 102-105  
 cuckoo-shrike, black-faced, 62  
*Cuculus optatus*, see cuckoo, oriental  
 curlew, spp., 94  
*Cyanoramphus auriceps*, see parakeet, yellow-crowned  
   *novaezelandiae*, see parakeet, red-crowned
- dabchick, New Zealand, 63  
*Dacelo novaeguineae*, see kookaburra, laughing  
 DEBSKI, I., see FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U.  
 DEBSKI, I., see FISCHER, J.H.; HJORSVARSDOTTIR, F.O.; HISCOCK, J.A.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U.  
*Dendrocygna eytoni*, see duck, plumed whistling  
 DEPPE, L.; ROWLEY, O.; ROWE, L.K.; SHI, N.; McARTHUR, N.; GOODAY, O.; GOLDSTIEN, S.J. Investigation of fallout events in Hutton's shearwaters (*Puffinus huttoni*) associated with artificial lighting, 181-191  
 DIGBY, A., see GRAY, L.J.; DIGBY, A.; EASON, D.K.  
*Diomedea bulleri bulleri*, see albatross, southern Buller's  
   *exulans*, see albatross, wandering  
 dotterel, banded, 158-160  
   oriental, 61  
 dowitcher, Asiatic, 61  
 duck, Australian white-eyed, 58  
   Australian wood, 57, 58, 66  
   blue, 168  
   dabbling spp., 162  
   eastern spotbill, 211  
   Finsch's 61  
   grey, 162-170, 211-228  
   grey x mallard hybrid, 163, 211, 212, 215, 217, 220, 223-225, 228  
   Hawaiian, 225  
   lesser grey, 162  
   mallard, 34-35, 162, 163, 196, 205, 211-228  
   Mariana mallard, 225  
   Pacific black, 162, 167-169, 211  
   Philippine, 211  
   plumed whistling, 58  
   spotbill, 211  
   spp., 94
- EASON, D.K., see GRAY, L.J.; DIGBY, A.; EASON, D.K.  
 EDMONDS, H.K., see MISKELLY, C.M.; TENNYSON, A.J.D.; STAHL, J.-C.; SMART, A.F.; EDMONDS, H.K.; McMURTRIE, P.G.  
 EDMONDS, H.K., see MISKELLY, C.M.; TENNYSON, A.J.D.; EDMONDS, H.K.; McMURTRIE, P.G.  
 egret, little, 60
- Egretta garzetta*, see egret, little  
   *novaezelandiae*, see heron, white-faced  
   *sacra*, see heron, reef  
*Eudynamys taitensis*, see cuckoo, long-tailed  
*Eudyptes chrysolophus*, see penguin, macaroni  
   *pachyrhynchus*, see penguin, Fiordland crested  
   *schlegeli*, see penguin, royal  
   *sclateri*, see penguin, erect-crested  
*Eudyptid* spp., 97  
*Eudyptula minor*, see penguin, little  
 Eufalconimorphae, 31, 32
- Falco berigora*, see falcon, brown  
   *cecnhroides*, see kestrel, nankeen  
   *hypoleucos*, see falcon, grey  
   *novaezeelandiae*, see falcon, New Zealand  
   *novaezeelandiae ferox*, see falcon, bush  
   *novaezeelandiae novaezeelandiae*, see falcon, eastern  
   *novaezeelandiae "southern"*, see falcon, southern  
   *peregrinus*, see falcon, peregrine  
   *subniger*, see falcon, black  
   *tinnunculus*, see kestrel, Eurasian  
 falcon, black, 31, 64  
   brown, 31  
   bush, 21, 234-238  
   eastern, 21, 234-238  
   grey, 31  
   New Zealand, 21-23, 168, 196, 205, 234-238  
   southern, 21, 234-238  
   spp., 8, 31, 32  
 Falconiformes, 31  
 fantail, 196, 205  
   chestnut-bellied, 44  
   friendly, 44  
   grey, 44-47  
   mangrove, 44  
   New Zealand, 44-47, 193, 196  
   South Island, 196, 205  
 finch, woodpecker, 36  
 FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U. Assessing the suitability of non-invasive methods to monitor interspecific interactions and breeding biology of South Georgian diving petrel (*Pelecanoides georgicus*), 13-20  
 FISCHER, J.H.; HJORSVARSDOTTIR, F.O.; HISCOCK, J.A.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U. Confirmation of the extinction of South Georgian diving petrels (*Pelecanoides georgicus*) on Enderby Island, 48-51  
 flycatcher, kiskadee, 32  
   spp., 8  
*Fregata minor*, see frigatebird, great  
*Fregatta maoriana*, see storm petrel, New Zealand  
   *tropica*, see storm petrel, black-bellied  
 frigatebird, great, 57, 60, 66  
*Fringilla coelebs*, see chaffinch  
 fulmar, northern, 57, 59, 65, 66  
*Fulmarus glacialis*, see fulmar, northern  
   *glacialis rogersii*, see fulmar, northern
- GALBREATH, R. The 1907 'last generally accepted record' of huia (*Heteralocha acutirostris*) is unreliable, 239-242  
*Gallinago gallinago*, see snipe, European common  
   *hardwickii*, see snipe, Japanese



- Gallirallus australis*, see weka  
*australis australis*, see weka, western  
*australis hectori*, see weka, buff  
*philippensis*, see rail, banded  
gannet, Australasian, 60  
Cape, 57, 59, 66  
*Garrodia nereis*, see storm petrel, grey-backed  
GASKIN, C.G., see RAYNER, M.J.; YOUNG, M.K.;  
GASKIN, C.G.; MITCHEL, C.; BRUNTON, D.H.  
*Gelochelidon nilotica*, see tern, gull-billed  
*Gerygone igata*, see warbler, grey  
godwit, bar-tailed, 94  
black-tailed, 65  
Hudsonian, 65  
GOLDSTIEN, S.J., see DEPPE, L.; ROWLEY, O.; ROWE,  
L.K.; SHI, N.; McARTHUR, N.; GOODAY, O.;  
GOLDSTIEN, S.J.  
GOODAY, O., see DEPPE, L.; ROWLEY, O.; ROWE, L.K.;  
SHI, N.; McARTHUR, N.; GOODAY, O.; GOLDSTIEN,  
S.J.  
goose, spp., 94  
*Grallina cyanoleuca*, see magpie-lark  
GRAY, L.J.; DIGBY, A.; EASON, D.K. Bill trait variation  
in kākāpō *Strigops habroptilus* (Gray): differences  
between contemporary and historical birds, 1-12  
GRAY, L.J.; RENNER, M.A.M. Geometric morphometric  
methods show no shape differences between female  
and male kākāpō (*Strigops habroptilus*) bills and claws,  
117-123  
grebe, Australasian crested, 65  
Australian little, 63, 64  
great crested, see grebe, Australasian crested  
hoary-headed, 58  
greenshank, common, 61  
gull, black-backed, 36-37, 40, 42, 155, 158, 159  
black-billed, 42  
herring, 36  
laughing, 57, 61, 65, 66  
red-billed, 37  
southern black-backed, see gull, black-backed  
*Gygis alba*, see tern, white  
*Gymnorhina tibicen*, see magpie, Australian  
  
*Haematopus finschi*, see oystercatcher, South Island pied  
*unicolor*, see oystercatcher, variable  
harrier, Australasian, 2, 21, 29, 155, 158, 159  
swamp, see harrier, Australasian  
hawk, 54  
*Hemiphaga novaeseelandiae*, see pigeon, New Zealand  
hen, Maori, see weka  
heron, reef, 64  
white, 65  
white-faced, 64  
*Heteralocha acutirostris*, see huia  
*Himantopus himantopus*, see stilt, pied  
*novaezelandiae*, see stilt, black  
*Hirundapus caudacutus*, see needletail, white-throated  
HISCOCK, J.A., see FISCHER, J.H.; HJORSVARSDOTTIR,  
F.O.; HISCOCK, J.A.; DEBSKI, I.; TAYLOR, G.A.;  
WITTMER, H.U.  
HJORSVARSDOTTIR, F.O., see FISCHER, J.H.;  
HJORSVARSDOTTIR, F.O.; HISCOCK, J.A.; DEBSKI,  
I.; TAYLOR, G.A.; WITTMER, H.U.  
honeycreeper, i'wi, 7  
huia, 239-242  
HYDE, N.; MATTHEWS, K. Winter mortality of barn owl  
(*Tyto alba*) in Northland, New Zealand, 27-30  
*Hymenolaimus malacorhynchos*, see duck, blue  
  
ibis, glossy, 57, 60, 66  
  
kaka, 7, 8, 63, 121, 196, 199, 205  
South Island, 196, 199, 205  
kākāpō, 1-12, 16, 17, 31-33, 117-123, 145, 146, 193, 194, 196,  
205  
kakaruwai, see robin, South Island  
kārearea, see falcon, New Zealand  
kea, 8, 31-33, 37, 53, 121, 196, 205  
kestrel, Eurasian, 31, 32  
nankeen, 31  
KING, C.M. Contemporary observations of predation on  
the buff weka (*Gallirallus australis hectori*) by ferrets in  
the South Island during the nineteenth century, 52-55  
KING, C.M., see LITTLE, L.; KING, C.M.; O'DONNELL,  
C.F.J.  
KIRK, H., see BELL, M.; BURGIN, D.; CROWE, P.; KIRK,  
H.  
kite, black, 60, 64  
kiwi, 193  
little spotted, 196, 205  
spp., 193  
knot, great, 60, 64  
kokako, North Island, 65, 194  
South Island, 65, 192-194  
kookaburra, laughing, 63-64  
  
*Larus argentatus*, see gull, herring  
*atricilla*, see gull, laughing  
*dominicanus*, see gull, black-backed, or southern black-  
backed  
LEE, M. Sightings of snipe in Northland, New Zealand, by  
18<sup>th</sup> century French mariners, 93-96  
*Leucocarbo carunculatus*, see shag, New Zealand king  
*Limicola falcinellus*, see sandpiper, broad-billed  
*Limnodromus semipalmatus*, see dowitcher, Asiatic  
*Limosa haemastica*, see godwit, Hudsonian  
*lapponica*, see godwit, bar-tailed  
*limosa*, see godwit, black-tailed  
LITTLE, L.; KING, C.M.; O'DONNELL, C.F.J. Behaviour  
of stoats (*Mustela erminea*) raiding the nests of rock  
wrens (*Xenicus gilviventris*) in alpine New Zealand,  
124-135  
LONG, R. A survey of Fiordland crested penguins/  
tawaki (*Eudyptes pachyrhynchus*) from Cascade River  
to Martins Bay, South Westland, New Zealand, 2014,  
206-210  
LONG, R., see MATTERN, T.; LONG, R.  
lorikeet, spp., 31  
*Lorius*, see lory spp.  
lory spp., 31  
  
magpie, 29, 104  
Australian, 29  
magpie-lark, 57, 62, 65, 66  
mallard, see duck, mallard  
MALONEY, R.F., see SCHLESSELMANN, A-K.V.;  
COOPER, J.; MALONEY, R.F.

- MARIN, M. Status of the flesh-footed shearwater (*Ardenna [Puffinus] carneipes*) in the south eastern Pacific, 229-233
- martin, Australian tree, 62, 65  
fairy, 65
- MATTERN, T.; LONG, R. Survey and population size estimate of Fiordland penguin, (tawaki; *Eudyptes pachyrhynchus*) in Milford Sound/Piopirotahi, New Zealand, 97-101
- MATTHEWS, K., see HYDE, N.; MATTHEWS, K.
- McARTHUR, N., see DEPPE, L.; ROWLEY, O.; ROWE, L.K.; SHL, N.; McARTHUR, N.; GOODAY, O.; GOLDSTIEN, S.J.
- McMURTRIE, P.G., see MISKELLY, C.M.; TENNYSON, A.J.D.; STAHL, J.-C.; SMART, A.F.; EDMONDS, H.K.; McMURTRIE, P.G.
- McMURTRIE, P.G., see MISKELLY, C.M.; TENNYSON, A.J.D.; EDMONDS, H.K.; McMURTRIE, P.G.
- Megadyptes antipodes*, see penguin, yellow-eyed
- Meliagrís gallopavo*, see turkey, wild
- Milvus migrans*, see kite, black
- MISCHLER, C.P.; BELL, E.A. At-sea distribution of breeding male and female grey petrels (*Procellaria cinerea*) determined from New Zealand fisheries bycatch, 68-75
- MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A. Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2015-2016, 57-67
- MISKELLY, C.M.; STAHL, J.C.; TENNYSON, A.J.D. Do grey-backed storm petrels (*Garrodia nereis*) breed in Fiordland, New Zealand? 109-114
- MISKELLY, C.M.; TENNYSON, A.J.D.; STAHL, J.-C.; SMART, A.F.; EDMONDS, H.K.; McMURTRIE, P.G. Breeding petrels of Dusky Sound, Fiordland – survivors from a century of stoat invasions, 136-153
- MISKELLY, C.M.; TENNYSON, A.J.D.; EDMONDS, H.K.; McMURTRIE, P.G. Dispersal of endemic passerines to islands in Dusky Sound, Fiordland, following translocations and predator control, 192-205
- MITCHEL, C., see RAYNER, M.J.; YOUNG, M.K.; GASKIN, C.G.; MITCHEL, C.; BRUNTON, D.H.
- Mohoua novaeseelandiae*, see creeper, brown  
*ochrocephala*, see yellowhead
- mohua, see yellowhead
- mollymawk, Atlantic yellow-nosed, 59, 66  
Indian yellow-nosed, 59, 66  
shy, 57, 59, 64
- morepork, 14, 17, 65
- Morus capensis*, see gannet, Cape
- needletail, white-throated, 62
- Neoaves, 32
- Nestor meridionalis*, see kaka  
*notabilis*, see kea
- Ninox novaeseelandiae*, see morepork
- Notiomystis cincta*, see stitchbird
- Numenius minutus*, see whimbrel, little  
*phaeopus*, see whimbrel
- OBITUARY: Brian Douglas Bell, QSM, FRAOU, FOSNZ (1930-2016), C.J.R. Robertson, 175-180
- Oceanodroma furcata*, see storm petrel, fork-tailed
- O'DONNELL, C.F.J. see LITTLE, L.; KING, C.M.; O'DONNELL, C.F.J.
- owl, barn, 27-30  
little, 65
- oystercatcher, South Island pied, 155, 158-160  
variable, 94
- Pachyptila crassirostris*, see prion, fulmar  
*desolata*, see prion, Antarctic  
spp., see prion spp.  
*vittata*, see prion, broad-billed
- parakeet, red-crowned, 64  
spp., 194  
yellow-crowned, 196, 199, 205
- parrot, 53  
Mulga, 8, 31  
spp., 1-12, 31-33, 117
- partridge, red-legged, 65
- Passeriformes, 31, 32
- passerine spp., 32, 192-194  
translocated spp., 192-205
- Pelagodroma marina dulciae*, see storm petrel, Australian  
white-faced  
*marina maoriana*, see storm petrel, New Zealand white-faced
- Pelecanoides georgicus*, see petrel, South Georgian diving  
*urinatrix*, see petrel, common diving  
*urinatrix chathamensis*, see petrel, southern diving  
*urinatrix exsul*, see petrel, subantarctic diving  
*urinatrix urinatrix*, see petrel, northern diving
- penguin, erect-crested, 63  
Fiordland crested, 63, 97-101, 206-210  
king, 58, 66  
little, 16  
macaroni, 58, 66  
royal, 58-59, 66  
yellow-eyed, 16
- petrel, black, 24-26  
burrowing spp., 82, 136-153, 181, 199  
common diving, 13, 14, 16, 17, 84  
Cook's, 83  
diving, see petrel, common diving  
gadfly spp., 59  
grey, 68-75  
grey-faced, 77, 84  
Herald, 57, 59, 65, 66  
mottled, 17, 136-139, 141, 143-146, 152  
northern diving, 48  
providence, 64  
soft-plumaged, 63  
South Georgian diving, 13-20, 48-51  
southern diving, 48-50  
spp., 8, 76, 83, 84, 109, 136-153, 181, 182, 188, 189, 195  
Subantarctic diving, 48, 49, 50  
white-headed, 49  
white-naped, 63
- Petrochelidon ariel*, see martin, fairy  
*nigricans*, see martin, Australian tree
- Petroica australis*, see robin, South Island  
*australis rakiura*, see robin, Stewart Island  
*longipes*, see robin, North Island  
*macrocephala*, see tomtit, South Island  
*traversi*, see robin, black
- Phaethon rubricauda*, see tropicbird, red-tailed

- phalarope, grey, 61  
Wilson's, 61  
*Phalaropus fulicaria*, see phalarope, grey  
*tricolor*, see phalarope, Wilson's
- pheasant, 54  
*Philesturnus carunculatus*, see saddleback, South Island  
*rufusater*, see saddleback, North Island  
*Philomachus pugnax*, see ruff
- Pica pica*, see magpie
- pigeon, New Zealand, 205  
wood sp., 94
- piopio, North Island, 194  
South Island, 192-194
- Pitangus sulphuratus caucensis*, see flycatcher, kiskadee
- Platalea flavipes*, see spoonbill, yellow-billed
- Platycercus elegans*, see rosella, crimson
- Plegadis falcinellus*, see ibis, glossy
- plover, American golden, 64  
greater sand, 61  
grey, 61  
Pacific golden, 64  
shore, 63  
spur-winged, 64
- Pluvialis dominicus*, see plover, American golden  
*fulva*, see plover, Pacific golden  
*squatarola*, see plover, grey
- Podiceps cristatus australis*, see grebe, Australasian crested
- Poliiocephalus poliocephalus*, see grebe, hoary-headed  
*rufopectus*, see dabchick, New Zealand
- Porphyrio melanotus*, see pukeko
- PREDDEY, J.M.; PULHAM, G.A. Observations of New Zealand fairy tern (*Sternula nereis davisae*) foraging at Te Arai dune lakes, New Zealand, 87-92
- prion, Antarctic, 49  
broad-billed, 136, 137, 139, 141, 144-146, 152  
fulmar, 49  
spp., 136
- Procellaria cinerea*, see petrel, grey  
*parkinsoni*, see petrel, black
- Procellariidae, 181
- Procellariiformes, 13-20, 24-26, 48-51, 68-75, 76-86, 109-114, 136-153, 171-174, 181-191, 229-233
- Prosthemadera novaeseelandiae*, see tui
- Psephotus varius*, see parrot, Mulga
- Psittacidae, 31
- Psittaciformes, 1-12, 31
- Psittaculidae, 31
- Psittuteles* spp., see lorikeet spp.
- Pterodroma cervicalis*, see petrel, white-naped  
*cookii*, see petrel, Cook's  
*heraldica*, see petrel, Herald  
*inexpectata*, see petrel, mottled  
*lessonii*, see petrel, white-headed  
*macroptera gouldi*, see petrel, grey-faced  
*mollis*, see petrel, soft-plumaged  
*solandri*, see petrel, providence
- puffin, 8  
*Puffinus carneipes*, see shearwater, flesh-footed  
*creatopus*, see shearwater, pink-footed  
*gravis*, see shearwater, great  
*griseus*, see shearwater, sooty  
*huttoni*, see shearwater, Hutton's  
*newelli*, see shearwater, Newell's  
spp., see shearwater spp.
- pukeko, 57, 63, 94
- PULHAM, G.A., see PREDDEY, J.M.; PULHAM, G.A.  
*Pycnonotus cafer*, see bulbul, red-vented
- quail, California, 34-35, 65  
New Zealand, 94  
sp., 95
- rail, banded, 63
- RAYNER, M.J.; YOUNG, M.K.; GASKIN, C.G.; MITCHEL, C.; BRUNTON, D.H. The breeding biology of northern white-faced storm petrels (*Pelagodroma marina maoriana*) and results of an in-situ chick translocation, 76-86
- redpoll, 205
- RENNER, M.A.M., see GRAY, L.J.; RENNER, M.A.M.
- REYES, E.M.R.; SUAREZ-SPIN, G.; BELL, E.A. La Niña signal? Unusual inshore sightings of black petrel (*Procellaria parkinsoni*) in Santa Elena Province, Ecuador, 24-26
- Rhipidura albiscapa*, see fantail, grey  
*albolimbata*, see fantail, friendly  
*fuliginosa*, see fantail, New Zealand  
*hyperythra*, see fantail, chestnut-bellied  
*phasiana*, see fantail, mangrove
- rifleman, 193, 205  
South Island, 193, 205
- ROBERTSON, C.J.R. OBITUARY: Brian Douglas Bell, QSM, FRAOU, FOSNZ (1930-2016), 175-180
- robin, black, 177, 194  
New Zealand, 194  
North Island, 194  
South Island, 192-199, 205  
Stewart Island, 195, 198
- rosella, crimson, 8
- ROWE, L.K., see DEPPE, L.; ROWLEY, O.; ROWE, L.K.; SHI, N.; McARTHUR, N.; GOODAY, O.; GOLDSTIEN, S.J.
- ROWLEY, O., see DEPPE, L.; ROWLEY, O.; ROWE, L.K.; SHI, N.; McARTHUR, N.; GOODAY, O.; GOLDSTIEN, S.J.
- ruff, 64
- saddleback, North Island, 94, 194, 195  
South Island, 192-199, 205
- SAGAR, P.M., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.
- sanderling, 60
- sandpiper, broad-billed, 60  
spp., 94  
terek, 61
- SAVILLE, I., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.
- SCHLESSELMANN, A-K.V.; COOPER, J.; MALONEY, R.F. Single season colony records of black-fronted terns (*Chlidonias albostratus*) spanning their entire breeding range, 38-43
- SCHWING, R., see WEIN, A.; SCHWING, R.
- scolopacid spp., 94  
*Scolopax gallinago*, see *Gallinago gallinago*
- seabird spp., 13-20, 24-26, 36-37, 48-51, 57-66, 68-75, 76-86, 87-92, 94, 97-101, 109-114, 136-153, 171-174, 178, 181-

- 191, 206-210, 229-233  
 sea-lark, 94  
 shag, New Zealand king, 63  
 shearwater, Cory's, 26, 74  
   flesh-footed, 171-174, 229-233  
   great, 57, 59, 66  
   Hutton's, 181-191  
   Newell's, 182, 188, 189  
   pink-footed, 229-232  
   sooty, 16, 24, 136-138, 140-146, 152-153  
   spp., 136, 172, 173, 181, 182, 188, 189, 232  
 shelduck, chestnut-breasted, 58, 64  
   paradise, 64, 205  
 SHI, N., see DEPPE, L.; ROWLEY, O.; ROWE, L.K.; SHI, N.; McARTHUR, N.; GOODAY, O.; GOLDSTIEN, S.J.  
 shorebird spp., 94  
 shoveler, Australasian, 168, 228  
 silveryeye, 103, 192, 196, 205  
 skua, long-tailed, 58, 61  
   subantarctic, 63  
 SMART, A.F., see MISKELLY, C.M.; TENNYSON, A.J.D.; STAHL, J.-C.; SMART, A.F.; EDMONDS, H.K.; McMURTRIE, P.G.  
 snipe, European common, 94, 95  
   Japanese, 60, 94  
   North Island, 93-96  
   South Island, 93  
   spp., 94  
 songbird spp., 181, 182  
 spoonbill, yellow-billed, 64  
 STAHL, J.-C., see MISKELLY, C.M.; STAHL, J.-C.; TENNYSON, A.J.D.  
 STAHL, J.-C., see MISKELLY, C.M.; TENNYSON, A.J.D.; STAHL, J.-C.; SMART, A.F.; EDMONDS, H.K.; McMURTRIE, P.G.  
*Stercorarius longicaudus*, see skua, long-tailed  
*Sterna bergii*, see tern, crested  
   *hirundo*, see tern, common  
   *paradisaea*, see tern, Arctic  
   spp., see tern, spp.  
   *vittata*, see tern Antarctic  
*Sternula nereis davisae*, see tern, New Zealand fairy  
 stilt, black, 65  
   hybrid black x pied, 65  
   pied, 65  
 stitchbird, 65  
 storm petrel, Australian white-faced, 84  
   black-bellied, 49  
   fork-tailed, 83  
   grey-backed, 49, 109-114  
   New Zealand, 18, 112  
   New Zealand white-faced, 49, 76-86  
   spp., 82, 83  
   white-faced, 49, 76-86  
 Strigopidae, 32  
 Strigopoidea, 2, 121  
*Strigops habroptilus*, see kakapo  
 SUAREZ-SPIN, G., see REYES, E.M.R.; SUAREZ-SPIN, G.; BELL, E.A.  
*Sula leucogaster*, see booby, brown  
   *sula*, see booby, red-footed  
 swift, spp., 108  
 swiftlet, Atiu, 106-108  
   Australian, 107, 108  
   spp., 106  
   white-rumped, 107, 108  
*Tachybaptus novaehollandiae*, see grebe, Australasian little  
*Tadorna tadornoides*, see shelduck, chestnut-breasted  
   *variegata*, see shelduck, paradise  
 tarapirohe, see tern, black-fronted  
 TARBURTON, M. Diet of the Atiu swiftlet (*Aerodramus sawtelli*): an aerial insectivore on a small island in the South Pacific, 106-108  
 tattler, grey-tailed, 65  
   spp., 65  
   wandering, 61  
 tawaki, see penguin, Fiordland crested  
 TAYLOR, G.A., see FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U.  
 TAYLOR, G.A., see FISCHER, J.H.; HJORSVARSDOTTIR, F.O.; HISCOCK, J.A.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U.  
 teal, brown, 63, 64, 168  
   Campbell Island, 14, 16, 17  
   chestnut, 64  
   grey, 228  
   spp., 8  
 TENNYSON, A.J.D., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.  
 TENNYSON, A.J.D., see MISKELLY, C.M.; STAHL, J.-C.; TENNYSON, A.J.D.  
 TENNYSON, A.J.D., see MISKELLY, C.M.; TENNYSON, A.J.D.; STAHL, J.-C.; SMART, A.F.; EDMONDS, H.K.; McMURTRIE, P.G.  
 TENNYSON, A.J.D., see MISKELLY, C.M.; TENNYSON, A.J.D.; EDMONDS, H.K.; McMURTRIE, P.G.  
 tern, Antarctic, 64  
   Arctic, 58, 62  
   black, 64  
   black-fronted, 38-43, 154-161  
   common, 64  
   crested, 62, 66  
   gull-billed, 61-62  
   New Zealand fairy, 87-92  
   spp., 160  
   white, 63  
   white-winged black, 57, 62, 64, 66  
*Thalassarche carteri*, see mollymawk, Indian Ocean yellow-nosed  
   *cauta cauta*, see mollymawk, shy  
   *chlororhynchos*, see mollymawk, Atlantic yellow-nosed  
*Thinornis novaeseelandiae*, see plover, shore  
 thrush, song, 36  
 tieke, see saddleback  
 tomtit, 192, 193, 196, 199, 205  
   South Island, 192, 193, 196, 197, 199, 205  
   spp., 194  
*Trichoglossus* spp., see lorikeet spp.  
*Tringa brevipes*, see tattler, grey-tailed  
   *cinerea*, see sandpiper, terek  
   *incana*, see tattler, wandering  
   *nebularia*, see greenshank  
   spp., see tattler spp.  
 tropicbird, red-tailed, 63  
 tui, 94, 103, 193  
*Turdus merula*, see blackbird

- philomelos*, see thrush, song  
turkey, 65  
*Turnagra capensis*, see piopio, South Island  
*tanagra*, see piopio, North Island  
*Tyto alba*, see owl, barn
- Vanellus miles*, see plover, spur-winged  
*Vestiaria coccinea*, see honeycreeper, i'iwi
- wader, migratory spp., 94  
spp., 8  
WAITE, E. Causes of mortality for kārearea/New Zealand falcon (*Falco novaeseelandiae*) in the Whakatipu district, 21-23  
warbler, grey, 102-105, 193, 196, 205  
spp., 8  
waterfowl spp., 94  
WEIN, A.; SCHWING, R. Claws on the wings of kea parrots (*Nestor notabilis*), 31-33  
weka, 51-55, 137, 141, 205  
buff, 52-55  
western, 52, 137, 205  
whimbrel, 61  
little, 61  
WILLIAMS, M. Weights and measurements of *Anas superciliosa* in New Zealand, 162-170  
WILLIAMS, M. The changing relative abundance of grey duck (*Anas superciliosa*) and mallard (*A. platyrhynchos*) in New Zealand, 211-228  
WITTMER, H.U., see FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U.  
WITTMER, H.U., see FISCHER, J.H.; HJORSVARSDOTTIR, F.O.; HISCOCK, J.A.; DEBSKI, I.; TAYLOR, G.A.; WITTMER, H.U.  
woodhen, see weka  
wren, bush, 192-194  
rock, 124-135  
*Xenicus gilviventris*, see wren, rock  
*longipes*, see wren, bush  
yellowhead, 192-199, 205  
YOUNG, M.K., see RAYNER, M.J.; YOUNG, M.K.; GASKIN, C.G.; MITCHEL, C.; BRUNTON, D.H.  
*Zosterops lateralis*, see silvereve

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627